# BQC: A WEBSITE TO QUALITY CONTROL SOLAR RADIATION MEASUREMENTS USING SATELLITE-BASED DATABASES

www.bqcmethod.com

Ruben Urraca, Andres Sanz-Garcia, Francisco Javier Martinez-de-Pison





CM SAF User Workshop 2019, Mainz

June 4th



## **CONTENTS**

- Introduction
- METHODS
- RESULTS
- CONCLUSIONS AND FUTURE WORK
- **6** OTHER WORKS WITH CM SAF DATABASES

## **CONTENTS**

- Introduction
- 2 METHODS
- RESULTS
- 4 CONCLUSIONS AND FUTURE WORK
- **5** OTHER WORKS WITH CM SAF DATABASES

# QUALITY CONTROL OF SOLAR IRRADIANCE

Classical QC methods (e.g., BSRN QC) use statistical and physical limits

#### **BUT**

There is a wide range of plausible irradiance values



#### **PROBLEM**

Measuring errors of low-magnitude (shadows, calibration errors) pass classical QC methods



Need for new QC methods



# BIAS-BASED QUALITY CONTROL (BQC) METHOD

Global Horizontal Irradiance (daily)

Flag groups of consecutive days in which the deviations of several independent models are out of the typical values for that region and time of the year

## BQC validations

(Urraca et al. 2017) - 335 European stations - 29 stations with errors (Urraca et al. 2019) - 732 Spanish stations - 264 stations with errors

STRENGTHS of the BQC		BSRN QC		
Finds low-magnitude defects (e.g. shading, soiling, calibration) $G_H$ deviations $+$ 20-90 days		ONLY large errors, time lags $G_H$ samples $+ 1$ sample		
				Visual flags

# **OBJECTIVES**

## OBSTACLES FOR IMPLEMENTING THE BQC

- Download estimations from solar radiation databases.
- Obtain reliable station data to calculate the typical value of the deviations.

#### SOLUTION

- A free web service incorporating the BQC algorithm + databases + station data to quality control any station in Western Europe
  - Users only have to upload their data and analyze the visual flags produced.

www.bqcmethod.com




## **CONTENTS**

- Introduction
- 2 METHODS
- RESULTS
- 4 CONCLUSIONS AND FUTURE WORK
- **5** OTHER WORKS WITH CM SAF DATABASES


## PRE-PROCESSING RADIATION DATABASES

Database	Туре	Organization	Spatial coverage	Spatial resolution	Temporal coverage	Temporal resolution
SARAH 2.1	Satellite geostationary	CM SAF	Europe, Africa 65°S - 65°N	5 km	1983-2017	30 min
CLARA-A2	Satellite polar	CM SAF	Global	25 km	1982-2015	1 d
ERA5	Reanalysis	ECMWF	Global	31 km	1977-2018	1 h
					1983-2015	

1983-20



## CONFIDENCE INTERVALS OF THE MODEL DEVIATIONS



## 335 quality-controlled stations


Cls for each (i) database, (ii) month, and (iii) spatial region.

#### Robust statistics

 $\begin{array}{c} \text{median} \, \pm \, \textbf{n} \, \times \, \text{median absolute} \\ \text{deviation} \end{array}$ 

Tuning parameter: n
Restriction level of the Cls


# **BQC** ALGORITHM: WINDOW FUNCTION



## Tuning parameter: w


(window width) Number of consecutive days analyzed  $(run \ 1)$  Short-lived defects w = 20 days, n = 2.4  $(run \ 2)$  Permanent defects w = 90 days, n = 0.4

# WEB INPUTS (WWW.BQCMETHOD.COM)






# WEB OUTPUTS (WWW.BQCMETHOD.COM)






## WEB OUTPUTS: DAILY RESULTS



## WEB OUTPUTS: SUB-DAILY RESULTS







## **CONTENTS**

- Introduction
- 2 METHODS
- RESULTS
- 4 CONCLUSIONS AND FUTURE WORK
- **5** OTHER WORKS WITH CM SAF DATABASES

# EXAMPLE 1: ACCUMULATION OF DUST (SOILING)




# EXAMPLE 2: ACCUMULATION OF DUST (SOILING)



Sensor manually cleaned




## **EXAMPLE 3: SHADOWS**






## **EXAMPLE 4: LARGE ERRORS**






# EXAMPLE 5: DIURNAL IRRADIANCE EQUAL 0






## **EXAMPLE 6: TIME LAG**






## **EXAMPLE 7: PYRANOMETER ERROR**





## ANALYSIS OF MONITORING NETWORKS

(Urraca et al. 2017) 335 stations 26 stations with defects (7.8%)



(Urraca et al. 2019) 732 stations 264 stations with defects (36%)



## **CONTENTS**

- Introduction
- 2 METHODS
- RESULTS
- CONCLUSIONS AND FUTURE WORK
- **5** OTHER WORKS WITH CM SAF DATABASES

## **CONCLUSIONS**

A **free** web service (www.bqcmethod.com) that implements the BQC method and incorporates the databases and station data required to analyze any Western European station from 1983 to 2015

## **FUTURE WORK**

Include field descriptions and a tutorial of the website

Speed-up the website

Extend the website to Eastern Europe (station data required)

Extend the website to other atmospheric variables (e.g., temperature)


## **CONTENTS**


- Introduction
- 2 METHODS
- RESULTS
- 4 CONCLUSIONS AND FUTURE WORK
- **6** OTHER WORKS WITH CM SAF DATABASES

Urraca R, Gracia-Amillo AM, Koubli E, Huld T, Trentmann J, Riihelä A, Lindfors AV, Palmer D, Gottschalg, R, Antonanzas-Torres F. Extensive validation of CM SAF surface radiation products over Europe. *Remote Sensing of Environment* 2017;199:171-186.


Validation of CM SAF databases over 312 European stations


(Global horizontal irradiance)






Urraca R, Huld T, Gracia-Amillo A, Martinez-de-Pison FJ, Kaspar F, Sanz-Garcia A. Evaluation of global horizontal irradiance estimates from ERA5 and COSMO-REA6 reanalyses using ground and satellite-based data. Solar Energy 2018;164:339-354.






Urraca R, Huld T, Martinez-de-Pison FJ, Sanz-Garcia A. Sources of uncertainty in annual global horizontal irradiance data. *Solar Energy* 2018;170:873-884.



Urraca R, Huld T, Lindfors AV, Riihelä A, Martinez-de-Pison FJ, Sanz-Garcia A. Quantifying the amplified bias of PV system simulations due to uncertainties in solar radiation estimates. *Solar Energy* 2018;176:663-677



## ACKNOWLEDGEMENTS

#### **Databases**





### Funding & Resources

Gobierno de La Rioja www.larioja.org





#### **Collaborations**

Iñigo Sanz-Garcia (Website development)
Thomas Huld and Ana Gracia-Amillo (BQC algorithm)