

Architecture for Climate Monitoring from Space Status and Way Forward

Dr. Tillmann Mohr
Special Advisor of the SG of WMO on Satellite Matters
Dr. Wenjian Zhang
Director, Observing and Information Systems Department;

Director, Observing and Information Systems Department;

Director, Space Programme,

World Meteorological Organization





WCC-3 (Sept. 2009) decided to establish the Global Framework for Climate Services (GFCS) and set up a High Level Taskforce to deliver a report by end of 2010 to be considered by 16th WMO Congress for approval.

16th WMO Congress approved the report in May 2011.



- WMO Executive Council (June 2011) established a Task Team to develop until Sept. 2012 an implementation plan and a governance model to be discussed and approved by an Extraordinary WMO Congress in Oct. 2012
- The Implementation Plan and Governance Scheme of the GFCS was approved by WMO Extraordinary Congress in October 2012
- The Architecture for Climate Monitoring from Space (ACMS) will be a major building block for the Obs. & Monitoring Pillar of the GFCS.



Space and Surface Architect. for Climate Monitoring



Users, Government, private sector, research, agriculture, water, health, construction, disaster reduction, environment, tourism, transport, etc User Interface Climate Services Information System Research, Modeling Observations and Prediction and Monitoring CAPACITY BUILDING




The Obs. & Monitoring pillar will provide the required data sets in form of ECVs as input for the Climate Services Information System.

At this time 36 out of the 52 GCOS ECVs can be extracted from satellite data. There is room for technological and scientific development to increase the number of satellite derived ECVs.

However, we face a structural problem: There is no satellite observing system in place which is designed to meet the long-term requirements for monitoring climate from space.




We have a situation similar to the 60s of the last century when the World Weather Watch was established. We have seen the tremendous achievements over the last 40 years in NWP.





The achievements are to a significant part due to the satellite component of the WMO Integrated Global Observing System

(WIGOS).





- WMO Space Programme, the Committee of Earth Observation Satellites (CEOS) and the Coordination Group for Meteorological Satellites (CGMS) started in January 2011 a process to develop a strategy towards an Architecture for Climate Monitoring from Space (ACMC).
- As a first step of the architecture a logical view was elaborated and approved by the plenaries of CEOS and CGMS and endorsed by the Executive Council of WMO in 2012. A report was published in 2013. The physical view as the second step will follow.



Strategy Towards an Architecture for Climate Monitoring from Space






- The approach adopted is intentionally open and inclusive.
- It is designed so that all the relevant entities can identify their potential contributions even if this may be beyond their existing capabilities and programmatic obligations in recognition of the need to obtain the maximum degree of consensus at this early stage in the process.
- The level of definition of the architecture is necessarily high-level and conceptual.




- Logical View: represents the requirements baseline as a set of interlinked functions and associated dataflows (i.e. the target). Logical view is as stable as the requirements baseline and, once established, should require little maintenance.
- Physical View: describes how the logical view is implemented, i.e. how close we are to achieving the target. Needs to be maintained on a regular basis to make sure it appropriately reflects the prevailing status






Pillars of the logical view









Decomposition of logical function A3



Physical View

Main Objective:

To systematically expose the ECV-relevant data holdings of space agencies to potential users.

Methodology:

Invite agencies to populate a questionnaires aimed at characterizing the relevant datasets, including:

- Implementation responsibilities for each of the functions identified in the logical architecture
- Anticipated usage (relevant ECV, potential applications)
- Technical properties (accuracy, stability, coverage, frequency, length of record, etc)
- Administrative aspects (access conditions, formats supported, . . . contact points...)



ECV INVENTORY QUESTIONAIRE

The joint activity of CEOS, CGMS and WMO started in May 2012 with a first deadline by 5 Oct. 2012 which was prolonged into springtime 2013.

Responses were requested at the dataset level.

Addressing both existing/past missions and future/planned missions in two separate questionnaires.



ECV INVENTORY QUESTIONAIRE



Essential Climate Variable (ECV) Inventory





Home View ECV Records Editor LOGIN Administrator LOGIN

x	Search Category Show All	‡
ECV Record Id	CDR_ECV04_7	
Responder name	Rainer Hollmann	ECV Reco
Responder email	rainer.hollmann@dwd.de	
Data Set Identifier	Yes, new release of CM SAF (CM-05)	Atmosphere
Responsible organization	EUMETSAT	CDR_ECV0
International Coordination	yes SCOPE-CM	CDR_ECV0
Assessment body	no	CDR_ECV0
Quality control organization	no	U CDR_ECVO
Climate applications	cloud feedback, radiation budget	CDR_ECV0
Essential Climate Variable (ECV)	Cloud amount	CDR_ECV0
Callastian annonimation	NOAA	CDR_ECV0
Collection organization	EUMETSAT	CDR_ECV0
Calibration organization	NOAA	CDR_ECV0
Intercalibration organization	NOAA	CDR_ECV0
FCDR organization	NOAA	CDR_ECV0
	EUMETSAT	CDR_ECV0
TCDR organization	CM SAF (DWD, KNMI, SMHI)	CDR_ECV0
	EUMETSAT	CDR_ECV0
GCOS Requirements Assessments organization	CM SAF	CDR_ECV0
T. d d	EUMETSAT	CDR_ECV0
Independent peer review organization	Secretariat	CDR_ECV0

ECV Records

CDR_ECV01_10 CDR ECV01 11 CDR_ECV01_12 CDR ECV01 13

CDR_ECV01_14 CDR_ECV01_15 CDR_ECV01_16 CDR_ECV01_17 CDR ECV01 18 CDR_ECV01_19 CDR_ECV01_20 CDR ECV01 21 CDR_ECV01_3 CDR_ECV01_4 CDR_ECV01_5 CDR ECV01 6 CDR_ECV01_7 CDR_ECV01_8 CDR_ECV01_9 CDR ECV02 1 CDR ECV02 2 CDR ECV02 3 CDR_ECV02_4




ECV INVENTORY RESPONSE

- ECV inventory now contains 220 records submitted for 11 responsible organizations, 36 of satellite-based ECVs submitted,
- No records were submitted for the following ECVs: carbon dioxide, methane, and greenhouse gases; sea state; sea surface salinity; lakes; above ground biomass;
- Some records are incomplete and organizations were encouraged to continue submitting data so we may begin conducting analyses.



ECV INVENTORY STATISTICS


Number of records per ECV





ECV INVENTORY STATISTICS

• Number of records per responsible organization





INVENTORY STATISTICS – ECV TIMELINES

		-	100	- 100				71	-				100						-	-		-	-		-	-		- 1		1			-		-	-	- 1						-	-		-		1 7	1000	-	
1970	1971	1972	1973	1075	1976	1977	1978	1979	1980	1981	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1996	1997	1998	1999	2000	2002	2003	2004	2005	2006	2007	2008	2003	2010	2011	2013	2014	2015	2016	2017	2018	2019	2020	2021	2023	2024	2025	2026	2027
				T																1	1	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1 1	1 1	1												
				I																																						2	2	2	2	2 2	2				
										1	2	2 2	2 2	2	2	2	2	2	2	2	2	2 8	3 3	8	8	8	8	8	8 8	9	9	9	9	9	9	8	2 2	2 1	1												
																																										1	1	1	1	1 1					
										1	4	4 4	4 4	4	4	4	4	4	4	4	4	4 4	4 4	4	5	6	6	6	6 6	7	7	7	6	6	6	7	4 3	3 2	1	1											
								1	1	1	5	7 8	8	8	8	8	8	8	8	8	8	8 8	8 8	8	8	8	8	8	9 9	9	9	9	9	9	9	7	7 (6 6	4	4	1	2	1	1	1	1 1					
							1	2	2	2	2	2 2	2 2	2	2	2	2	2	2	2	2	2 2	2 2	2	2	2	2	2	2 2	2	2	2	2	2	2	1	1 1	1 1	1	1		1	1	1	1	1 1	ı				
\prod							1	1	1	1	3	4	4	4	4	4	4	4	4	4	4	4 4	4 4	4	4	4	4	4	4 4	4	4	4	4	4	4	1	1 1	1 1				1	1	1	1	1 1			П	T	
\prod			T	T																																													П	T	
							2	2	2	2	7	8 9	9 9	9	9	9	9	9	9	9	9	9 9	9 9	9	9	9	9	9 10	10	10	10	10	10 1	10 1	0	5	5 5	5 4	1	1		1	1	1	1	1 1	l				
							1	1	1	1	7	, ,	, ,	7	8	8	8	8	8	8	8	8 8	8 8	8	8	8	8	8	8 8	9	9	9	9	9	9	7	6 6	6 5	2	2											
							П																													1	1 1	1													
П				T								T																																		T		Г	П	Т	\neg
		2	2	2	2 2	2	2	8	8	3 1	0 19	15	15	15	16	16	16	16	16	16 1	6 1	6 16	16	16	16	16 1	16 1	6 1	16	24	24	23	23 2	23 2	1	5 1	3 13	3 11	11	4											
П				Τ		Γ	П				Τ	Τ	Γ	Γ																				T	Т		Τ		Γ											Т	7
Ш			\perp	\perp			Ш		\perp	\perp			\perp																			1	1	1	1	1								\perp			\perp				╝
																			1	1	1	1 1	1 2	2	2	2	3	3	3	3	3	3	3	3	4	3	2 1	1 1	1												
																				1	1	1 1	1 1	1	1	1	1	1	1 1	1	1	1	1	1	1	1	1 1	1 1	1												
	1970							1	1 1 2 2 2 1 1			1 2 2 2 2 2 7 4 1 1 1 1 7 7	1 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	1		1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1			1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	1	1	1	1	1	1	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4										



INVENTORY STATISTICS – ECV TIMELINES

ECV Type	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1983	1984	1985	1986	1987	1000	1990	1991	1992	1993	1994	1006	1997	1998	1999	2000	2002	2003	2004	2005	2007	2008	2009	2010	2011	2012	2013	2014	2015	2017	2018	2019	2020	2021	2022	2023	2024	2025	2027
Land-surface temperature	Γ	Г	Г	Г			Г			\top	T	T	2	2 2	2	2	2	2	2 :	2 2	2	2	2	2	2 2	2	2	2 :	2 2	2	2	2	2 2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	T	T	T	Γ
Liquid precipitation, solid precipitation	Γ	T		T			Γ			1	1	1	1 1	1	1	1	7	,	,	, ,	7	7	7	,	, ,	7	7	7	, ,	7	7	7	, ,	7	6	6	6	7	4	2	1 :	,						\top	T		T
Maps of burnt area	Γ	T	T	T	T		Γ				T	T	Т				T	T						2	2 2	2	3	3 8	3	3	3	3	3 3	3	3	3	1	1	T		T	Γ		П			П	\top	T	T	T
Maps of LAI	Γ	T	T	T			Γ		П	\top		2	2 2	3	3	3	3	3	3 1	3 3	3	3	3	3 1	3 3	3	4	4 4	4	4	4	4	4 4	4	4	4	4	3	T	T	T	1	1	1	1	1	1	\top	T	T	T
Maps of the FAPAR	Γ	T	T	T	T		Γ		П	\forall	T	2	2 2	2 2	2	2	2	2	2 :	2 2	2	2	2	2	2 3	3	4	4 2	4	4	4	4	4 4	4	4	4	3	3	T	T	T	1	1	1	1	1	1	\top	T	T	T
Moderate-resolution maps of land-cover type	Γ	T	T	T	T		Γ		П	\top	T	T					T	T					T	T		1	1	1 :	1	1	1	1	1 1	1	1	1	1	1	T	T	T	1	1	1	1	1	1	1	1	1 1	1
Ocean chlorophyll	T	T	T	T					П	T	T	T	T		П		T	Ť	T			П	T	T	1	1	1	1 :	1	1	1	1	1 1	1	1	1	1	1	T	T	T	1	1	1	1	1	1	T	Т		Т
Water leaving radiance	T	T	T	T	T	T				\dashv	\top	T	\dagger	T	П	\top	\top	\dagger	T	T		\Box	\dagger	T	5	1	1	1 :	1	1	1	1	1 1	1	1	1	1	1	\top	\top	T	1	1	1	1	1	1	\top	\top	T	T
Ozone profiles	T	T		T						1	1	1	1 1	1	1	1	1	1	1 :	1	1	1	1	1	1 1	1	1	1 :	1	1	1	1	1 1	1	1	2	2	2	1	1	T						П	\top	十		T
Water vapor profiles	T	T	T	T									1	1	1	1	2	3	3 2	3 4	4	4	4	4 4	4 4	4	4	4 4	4	4	4	4	4 4	4	4	2	2	3	1	1	1 :	,		П			П	\top	十		T
Sea-ice concentration/extent/edge	T	T		T					1	1	1	1	1 2	2 2	2	2	3	3	3 1	3 3	3	3	3	3 1	3 3	3	3	3 2	3	3	3	3	3 3	3	3	1	T	1	1	1	1 :	,	1 1	1	1	1	1	\top	十		T
Sea-ice thickness	T	T	1	1	1	1	1	1	1	1	1	1	1 1	1	1	1	1	1	1	1 1	1	1	1	1	1 1	1	1	1 :	1	1	1	1	1 1	1			1	Ī						П			П	\top	十		T
Sea-level	T	T																T			1	5	5	5 !	5 5	5	5	5 !	6	6	6	6	6 6	6	6	6	2	2	1	1	T	T	T	П		T	П	\top	十		T
Sea-surface temperature	T	T		T					П	T	1		T		1	1	1	1	1 :	2	2	2	2	2 :	2 3	3	3	3 1	4	4	4	4	4 4	4	4	4	3	4	1	1	1 :	2	1 1	1	1	1	1	\top	十		T
Snow areal extent	1	,	,	1	1	1	1	1	1	1	1	1	1 2	2 2	2	2	2	2	2 :	2 2	2	2	2	2	2 2	2	3	3 2	3	3	3	3	3 3	3	3	2	1	1	1	1	1 :	,	1 1	1	1	1	1	\top	十		T
Soil-moisture map (up to 10cm soil depth)	Г								1	1	1	1	1 1	1	1	1	1	1	1 :	1 1	1	1	1	1	1 1	1	1	1 :	. 2	2	2	2	2 2	2	2	2	1	2	1	1	1 :	ı,	Г				П	\top	十		T
Solid precipitation	Γ	T		T	T																			,	1 1	1	1	1 :	1	1	1	1	1 1	1										П			\sqcap	\top	十		T
Surface wind	Γ	T		T	T					\top	1		T	T	П		8	8	8 9	10	9	9	9 1	0 10	12	11	12	12 11	12	12	12 1	12 1	2 11	11	11	10	10	4	2	2	1 :	,		П			\sqcap	\top	十		T
Total column ozone	1	,	1 1	1	1	1	1		1	1	1	1	1 2	2 2	3	3	3	3	4	1 3	3	3	3	4	4 4	4	3	4 4	4	4	4	5	5 4	4	5	4	4							П			\sqcap	\top	十		T
Total column water vapor																	5	6	6 (5 6	6	6	6	6	6 6	7	7	7	, ,	7	7	7	7 6	6	5	3	3	3	1	1	T	T	T	П			\sqcap	\top	十	T	T
Upper tropospheric humidity	Γ	T		T	T				1	1	1	1	2 4	4	4	4	4	4	4 4	4	4	4	4	5	5 5	5	5	5 4	4	4	4	4	4 4	4	3	2	2	1	1		T		T	П			\sqcap	\top	十		T
Upper-air temperature	T	T	T	T	T	T			1	1	1	1	1 2	2 2	2	2	2	2	2 :	2 2	2	2	2	2	2 2	2	2	2 :	2 2	2	2	2	5 5	5	5	4	4			\top	\dagger	T	T	Н			\sqcap	\top	\top	T	T
Upper-air wind	T	T		T	T	T				1	1	1	2 2	2	2	2	2	2	2	2 2	2	2	2	2	2 2	3	3	2	1	1	1	1	1 1	1	1			\dagger	\dagger	\dagger	\dagger	T	T	Н			\sqcap	\top	十		T
	1	I	I	ı	I	1	1	1	•					Т.																		_				1	- 1	ı	I	I	1	I	I	1 1		I	- 1	I	ı	ı	1




USAGE OF THE INVENTORY

- Describes the current and planned monitoring capability on an ECV basis (allow easier response to e.g. GCOS IP, GFCS IP),
- combined perspective of the logical and physical views should enable the definition of an optimum "macro scale" space system configuration (constellation) and its components used at the ECV/product level to identify gaps and shortfalls,
- formulation of a coordinated action plan to address such gaps and shortfalls,
- trigger for the medium-term activities that need to be undertaken to sustain the long-term implementation of the architecture



GAP ANALYSIS




Gap Analysis

The heritage of ERB missions is quite long-standing, but long-term commitment beyond ~ 2021 are limited to perhaps too simple instruments. The same holds for solar irradiance monitoring. No commitment is available for continuity in GEO after GERB (expected end-of-life: 2021). As for outgoing spectral radiance, the range utilised for operational SW and TIR instruments ($\sim 0.3\text{-}16~\mu\text{m}$) is secured, but external to this range (most critical, Far IR) the only plan is CLARREO, still a process study mission.

ECV Earth Radiation Budget is at risk as it concerns all aspects: both continuity and quality, of both broad-band and solar irradiance measurements.



WAY FORWARD - 1





WAY FORWARD - 2

- CGMS-40 proposed to establish a joint CEOS-CGMS WG on Climate in Nov. 2012 in order to develop the physical view and the coordinated action plan;
- CEOS SIT endorsed the general approach of a joint WG in March 2013;
- Draft TOR for the joint WG were developed in April/June 2013;
- The draft TOR were endorsed by CGMS-41 in July 2013;
- These TOR were presented to CEOS Plenary in November 2013 and approved;
- The first meeting of the joint CEOS-CGMS WG on Climate took place 5 7 March 2014 in Darmstadt.



WAY FORWARD - 3

Results of the meeting:

A work plan 2014 - 2016 was agreed, mainly concentrating on:

- developing case studies to demonstrate the architecture.
 A WMO/EC report to be published in time for the 17th
 WMO Congress in May 2015;
- -- the analysis and assessment of the ECVs contained in the inventory taking into account the GFCS priorities (health, water, agriculture, disaster risk management);
- -- gap analysis.